



# Waves inside Stars: Observational Evidence

---





**Conny Aerts**

**Institute of Astronomy, University of Leuven, Belgium**

**Radboud University Nijmegen, the Netherlands**


**Freiburg, 31 August 2015**

# Early studies triggered by helioseismology



# Studies triggered by asteroseismology





Adapted from Aerts (2015, Astron. Nachrichten 336, 477)



**Pulsators with faster envelope than core rotation (or even counter-rotation) are piling up by the day...**


**Kurtz et al. (2014)  
Triana et al. (2015)  
Schmid et al. (2015)**

# Cases triggered by space photometry




**Detection of gravito-inertial & classical resonant high-order g- modes in the magnetic B3V-type CoRoT pulsator HD 43317 (Pápics et al. 2012, Briquet et al. 2013)**

# Cases triggered by space photometry



**Detection of stochastic gravito-inertial modes in the CoRoT B-type pulsator HD 51452, confirmed by time-series spectroscopy (Neiner et al. 2012)**


# Studies triggered by modern spectroscopy



## Macroturbulence in 100s of OB-type stars

Simón-Díaz, IAUS 307, 194 (2015) and references therein, cf. IACOB project


# How confront 2D simulations & observations?




**Proof-of-Concept study by Aerts & Rogers (2015):**  
How do velocity spectra predicted from IGW simulations compare with those from time-series space photometry and/or spectroscopy?

# How unravel spots, resonant modes, waves?


HD 131120, spotted line-profile variable star




HD 46328, radial pulsator



HD 74195, non-radial g-mode pulsator







HD 181558, non-radial g-mode pulsator



Existence and derivation of macroturbulence in spotted or pulsating stars far from trivial

Aerts et al. (2014)

# How unravel spots, resonant modes, waves?




Effects of spots and/or pulsations in spectroscopy misinterpreted as macroturbulence

Aerts et al. (2014)

# So how about this case?



Simón-Díaz, IAUS 307, 194 (2015)



**Waves or pulsations, that's the question:  
compute line-profile diagnostics & analyse  
their frequency spectrum**

# Line-profile simulations from IGW simulations

From Aerts & Rogers (2015)





**Line-profile predictions for two stars**


left: OIII 5922Å line of O-type star HD 46150

right: Mg II 4481Å line of SPB KIC7760680

# Photometric variability from IGW simulations




**From Aerts & Rogers (2015)**



**CoRoT photometry (Blomme et al. 2012 & Pápics et al. 2012)**

**IGW predictions from Rogers et al. (2013)**



**left: 3 O-type stars HD 46150, HD 46223, HD 46966**

**top: magnetic SPB HD 43317; much tougher due to numerous dominant resonant g-modes to be prewhitened**

# Near future prospects

---

- **Consider predictions from IGW spectra for intensity variations, 3D simulations, various levels of non-rigid rotation,... (Tami @ Newcastle)**
- **Exploit all the line-profile variations observed in the framework of the long-term time-resolved database IACOB (Sergio Simón-Díaz @ IAC)**
- **Revisit the CoRoT and Kepler databases of heat-driven g-mode pulsators to search for IGW signatures after careful prewhitening + K2 + TESS and prepare for PLATO-CS (Conny @ Leuven)**

# Farther future prospects

## Beyond 2024: PLATO's Complementary Science

<https://fys.kuleuven.be/ster/Projects/plato-cs>

**PLATO Guest Observer programme open to all  
CS will help prepare GO+provide data products**

